


Picote Super Midi Miller

Picote Solutions Pipe Cleaning & Rehabilitation



Strong yet flexible, Picote high-speed Millers are powerful, multi-use machines.

The Super Midi Miller is designed for cleaning, descaling, root removal, and cutting/reinstatements in DN70-150 (3-6") pipes. It has a range of 20m (65') that can be increased by an additional 1 Orn (33') with a shaft extension. It can also be paired with the Picote Maxi Coating Pump to coat pipes DN70-200 (3-8").

The Super Midi sits squarely between the Mini and Maxi Miller capabilities, offering the added strength of the larger 12mm (1/2") shaft, a thinner shaft casing for flexibility, and a weight of only 69kg (152 lbs). It is fed by a standard wall outlet making it very easy to use on almost any jobsite*.

- Plugs into a standard wall outlet making it very easy to use on almost any jobsite*.
- The thinner thickness of the Super Midi outer shaft casing makes it easier to navigate through multiple bends.
- High Speed/High Torque: 500-1500 rpm.
- Standard safety features include: protective outer shaft casing, operator presence foot control, electronic safety clutch, internal GFI, and an emergency stop to help keep you and your equipment investment protected.

* Use with a 11 OVI 16 Amp transformer in UK.

Super Midi Miller Products:

Product Code	Product Description
DCP-SUPER-MIDI	Super Midi Miller 110v - 12mm Shaft
Parts & Accessories	
DCP-SMIDI-S-12-22	Super Midi Replacement Shaft 12mm / 21.5 metres
DCP-ROC-12MM	Regular Outer Casing for 12mm Shaft
DCP-STRAIN-MIDI	Strain Relief Midi Miller/Super Midi
DCP-FLEX-LUBE-0-5	Picote Flexible Shaft Lubricant 0.5 litres
DCP-MILL-LUBE-6	Picote Flexible Shaft Lubricant Package, includes 6 bottles

Technical Specifications

Category	Measurement
Pipe Size Ranges	
Cleaning/ Descaling	DN70-150 (3-6")
Cutting/ Reinstatement	DN70-150 (3-6")
Picote Brush Coating™	DN70-200 (3-8")
Usable Shaft Length	20m (65')
Shaft Extensions	10m (33')
Shaft Size	12mm (½")
Casing Type	Thin
Output Power	1.5kW
Speed	500-1500 RPM
Power	UK/US: 110/120V, 15 Amp
Weight	69kg (152 lbs)
Size	1122 x 712 x 466mm 45 X 28 X 18"
Safety Features	Protective outer shaft casing, operator presence foot control, electric safety clutch, & emergency stop.
IP Class	54

S1E Limited Specialist Suppliers of Trenchless Technology

No-dig Pipeline Repair

S1E Limited is a specialist supplier of trenchless technologies to the drainage repair industry. The company focuses on sourcing quality products for professional use. They are all tried and tested in the field to produce impressive results. S1E distributes high-quality products from market-leading manufacturers for the drainage repair industry. Products include camera inspection systems, cutting and cleaning tools, CIPP lining equipment and consumables, mechanical point repair devices, rat blockers and other site consumables.

S1E Limited is committed to being a quality supplier, with a focus on customer service. S1E is proud to be an active member of the UK Society for Trenchless Technology.

First established in 2007 as Fernco Environmental, the company's mission was to seek out repair products for the infrastructure repair and water management markets. Since 2016, it has re-focused its ranges to the specialist field of trenchless repair, with a growing portfolio in this specialist area.

The company is owned by Cooper Companies Inc, a US-based leader in the production of pipe couplings. The Group also owns companies in Canada, Mexico, Brazil, Germany and France, as well as the UK-based sister company to S1E, Fernco (previously, Flexseal).

It is accredited to ISO 9001: 2015 for its Quality Management System. It is also accredited to ISO 14001: 2015 for its Environmental Management System.



+44 (0)1226 397 015



contact@s1e.co.uk



www.s1e.co.uk



Cooper House, Unit 2, Spring Hill Road, Grimethorpe, Barnsley, S72 7BQ

